



## Small Portable Electric Driven Air Compressor (Wheelbarrow) 2-3 hp

Ingersoll Rand electric motor wheelbarrow air compressors are lightweight with a low-profile design providing maximum maneuverability on the job site. Built to last, these cast-iron, oil-lube compressors are designed for the toughest 100% continuous duty applications. The wheelbarrow compressor package includes pressure switch, regulator and gauge, two quick disconnects to power multiple tools and twin 8 gallon capacity tanks. These electric models feature a belt drive to provide quiet operation and a six foot power cord.

### Features

- **Portable Design:** Lightweight with excellent maneuverability even on the roughest terrain, perfect for environments where electricity is unavailable
- **Maximum Power and Flexibility:** 100% continuous duty, twin 8 gallon tanks and two quick disconnect couplers enable you to run multiple tools simultaneously
- **Long-Life:** Durable cast iron construction, long-lasting extended pump life designed for over 5,000 hours of trouble-free use
- **Reliable Operation:** All Season Select synthetic lubricant increases efficiency; with 2,000 hours of service between changeouts, it performs four times longer than petroleum-based lubricants
- **Advanced Safety Features:** Manual thermal overload protection of the motor and a totally enclosed belt guard provide constant protection
- **Two-Year Warranty Available:** Purchase an All-Season Select lubricant start-up kit, and receive all the parts you need for start-up and the first year of maintenance, along with an extended pump warranty



#### Air Compressor Assistant

Unsure of which type of air compressor you need?  
Let us help find the right one for you.



Get Started →

## Model Specifications

MODEL	SS3J2-WB	SS3J3-WB	
Flow at 90 psi (cfm)	5.7	11.3	
Max Pressure (psig)	135	135	
Nominal Power (hp)	2	3	
Flow at Max Pressure (cfm)	4.9	10.3	
Base Length (in)	43	43	
Base Width (in)	18	18	
Base Height (in)	25	25	
NPT Outlet (in)	1/4 Quick Disconnect	1/4 Quick Disconnect	
Voltage/Engine	115/1/60	230/1/60	
Tank (gal)	8 Gallon Twin Tank	8 Gallon Twin Tank	
Weight (lbs)	175	175	

## Parts & Accessories



**Small Reciprocating Air Filter  
Elements**



Ingersoll Rand (NYSE:IR) advances the quality of life by creating comfortable, sustainable and efficient environments. Our people and our family of brands—including Club Car®, Ingersoll Rand®, Thermo King® and Trane®—work together to enhance the quality and comfort of air in homes and buildings; transport and protect food and perishables; and increase industrial productivity and efficiency. We are a \$14 billion global business committed to a world of sustainable progress and enduring results. For more information, visit [www.ingersollrand.com](http://www.ingersollrand.com).